TO: Mayor and City Council

FROM: Jed Petersen, Public Works Director

SUBJECT: 3500 Service Body and Crane

MEETING DATE: Tuesday, May, 6 2025

## **BACKGROUND**

I am writing to request approval for the purchase of a new Chevrolet 3500 with a service body and crane, a planned acquisition under the Capital Equipment Fund.

This truck is a critical asset for the City of Cannon Falls, as it is the only vehicle in our fleet equipped with a crane capable of removing pumps from our lift stations and the wastewater treatment plant. Continued operation without a reliable replacement poses operational risks and could lead to service interruptions.

## **Budget and Cost Summary:**

Budgeted Amount: \$65,000Cab and Chassis Cost: \$45,413

• Service Body and Crane Cost: \$49,348

• **Total Cost:** \$94,761

To help offset the overage, we will be auctioning off the current 2013 Chevrolet 3500 with service body and crane. We anticipate receiving between \$15,000 and \$25,000 from this sale, depending on market conditions.

# **Financial Impact:**

After the auction, the **net cost** to the city will range from \$69,761 to \$79,761. This exceeds the original budget by \$4,761 to \$14,761, but the need for a dependable crane-equipped vehicle is essential for maintaining critical infrastructure and avoiding potential emergency repair costs.

Given the importance of this equipment and the relatively minor overage compared to the long-term operational value it provides, I respectfully recommend moving forward with the purchase.

# **REQUESTED COUNCIL ACTION**

I respectfully request a motion and approval to move forward with the purchase of a new Chevrolet 3500 with service body and crane.

# **CITY OF CANNON FALLS**

**Prepared For: JED** 

Vehicle: [Fleet] 2025 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck



#### **Quote Worksheet**

		MSRP
Base Price		\$48,500.00
Dest Charge		\$1,995.00
Total Options		\$2,113.00
	Subtotal	\$52,608.00
BID ASSIST		(\$2,700.00)
UPFITTER SWITCH INSTALL		\$195.00
Sub	total Pre-Tax Adjustments	(\$2,505.00)
Less Customer Discount		(\$4,690.00)
	Subtotal Discount	(\$4,690.00)
Trade-In		\$0.00
	Subtotal Trade-In	\$0.00
	Taxable Price	\$45,413.00
Sales Tax		\$0.00
	Subtotal Taxes	\$0.00
Subto	otal Post-Tax Adjustments	\$0.00
	Total Sales Price	\$45,413.00

Dealer Signature / Date	Customer Signature / Date

## **Selected Model and Options**

MODEL		
CODE	MODEL	MSRP
CK31003	2025 Chevrolet Silverado 3500HD CC 4WD Reg Cab 146" WB, 60" CA Work Truck	\$48,500.00
COLORS		
CODE	DESCRIPTION	
GXD	Sterling Gray Metallic	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

MISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont, Virginia and Washington state requirements	0.00 lbs	0.00 lbs	\$0.00
NGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 Nm] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs	\$0.00
RANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
MKM	Transmission, Allison 10-Speed automatic (STD)	0.00 lbs	0.00 lbs	\$0.00
XLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GT4	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	\$0.00
REFERRED EG	QUIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
VHEELS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
PYW	Wheels, 17" (43.2 cm) painted steel (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
QZT	Tires, LT235/80R17E all-terrain, blackwall (STD)	0.00 lbs	0.00 lbs	\$0.00
SPARE TIRE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZZT	Tire, spare LT235/80R17E all-terrain	0.00 lbs	0.00 lbs	\$380.00
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GXD	Sterling Gray Metallic	0.00 lbs	0.00 lbs	\$0.00
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs	\$0.00
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
H1T	Jet Black, Cloth seat trim	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

ADDITIONAL EQUI	ADDITIONAL EQUIPMENT - PACKAGE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
PCV	WT Convenience Package includes (AKO) tinted windows and (C49) rear-window defogger (Not available with (ZLQ) WT Fleet Convenience Package.)	0.00 lbs	0.00 lbs	\$425.00	
VYU	Snow Plow Prep Package includes (KW5) 220-amp alternator, includes increased front GAWR on Heavy Duty models, (NZZ) skid plates (transfer case and oil pan), pass through dash grommet hole and roof emergency light provisions. Contact GM Upfitter Integration at www.gmupfitter.com for plow installation details and assistance (Requires 4WD model. Upgradeable to (KHF) Dual alternators (220-amp primary, 170-amp auxiliary). Not available with (F60) Heavy Duty Front Spring Package.)	0.00 lbs	0.00 lbs	\$300.00	

ADDITIONAL E	ADDITIONAL EQUIPMENT - MECHANICAL					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP		
K05	Engine block heater (Included with (L5P) Duramax 6.6L Turbo- Diesel V8 engine.)	0.00 lbs	0.00 lbs	\$100.00		
K4Z	Battery, auxiliary, 700 cold-cranking amps/70 Amp-hr (Requires (L8T) 6.6L V8 gas engine and either (KW5) 220-amp alternator or (KHF) dual alternators. Not available with (KW7) 170-amp alternator.)	0.00 lbs	0.00 lbs	\$135.00		
KW5	Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo- Diesel V8 engine or (VYU) Snow Plow Prep Package. Free flow on (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs	Inc.		
NZZ	Skid Plates protect the oil pan, front axle and transfer case (Included with (VYU) Snow Plow Prep Package.)	0.00 lbs	0.00 lbs	Inc.		

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSF
AKO	Glass, deep-tinted (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs	Inc
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass lower convex mirrors, turn signal indicators, puddle lamps, (U12) perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm]), Black (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package. Includes (DD8) auto-dimming rearview mirror.)	0.00 lbs	0.00 lbs	\$450
V46	Bumper, front chrome	0.00 lbs	0.00 lbs	\$100
ITIONAL EC	QUIPMENT - INTERIOR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSF
9L7	Upfitter switch kit, (5) Provides 3-30 amp and 2-20 amp configurable circuits to facilitate installation of aftermarket electrical accessories. Kit with all required parts will be shipped loose with the truck for installation by the dealer or upfitter at customer expense. Installation instructions and technical assistance available at www.gmupfitter.com.	0.00 lbs	0.00 lbs	\$150
C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs	Inc
DD8	Mirror, inside rearview auto-dimming (Included and only available with (DWI) trailer mirrors.)	0.00 lbs	0.00 lbs	Inc
ITIONAL EC	QUIPMENT - SAFETY-INTERIOR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSF
5N5	Rear Camera Kit. Kit includes camera, fixed position bracket & 19 ft cable with attachment clips. Rear camera radio calibration provided from the factory. See Upfitter Integration Bulletin for installation instructions at www.gmupfitter.com	0.00 lbs	0.00 lbs	\$73.
	Options Total	0.00 lbs	0.00 lbs	\$2,11

# **Price Summary**

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

PRICE SUMMARY	
	MSRP
Base Price	\$48,500.00
Total Options	\$2,113.00
Vehicle Subtotal	\$50,613.00
Destination Charge	\$1,995.00
Grand Total	\$52,608.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

# **Standard Equipment**

otaniaana =qe	··P····
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-Speed automatic (STD)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	Auto-locking rear differential
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed, electronic shift with push button controls (Requires 4WD models.)
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Recovery hooks, front, frame-mounted, Black
	Body, Chassis Cab
	Frame, fully-boxed, hydroformed front section and an open "C" rear section
	GVWR, 14,000 lbs. (6350 kg)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Fuel tank, front and rear, 63.5 gallon
	Capped Fuel Fill
Exterior	
	Wheels, 17" (43.2 cm) painted steel (STD)
	Tires, LT235/80R17E all-terrain, blackwall (STD)
	Spare tire delete Deletes the spare tire and wheel.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

Exterior	
	Dual Rear Wheels
	Wheel trim, painted center caps
	Bumpers, front, Black
	Bumper, rear, delete
	Moldings, beltline, Black
	Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, Smoked Amber roof marker, (LED)
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp with switch in bank on left side of steering wheel
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) (Standard on Regular Cab models. Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.)
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Audio system feature, 2-speakers (Requires Regular Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Vinyl seat trim
	Floor covering, rubberized-vinyl
	Steering column, Tilt-Wheel, manual with wheel locking security feature

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

Interior  Steering wheel, urethane	
Steering wheel, urethane	
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, volt and oil pressure	age
Compass, located in instrument cluster	
Driver Information Center, 3.5" diagonal monochromatic display	
Universal Vehicle Module Includes module, customer interface harness and instructions. Provides vehicle over an open CAN network (J1939). 10 switchable inputs/outputs and Custom Configuration Tool to integrupfit equipment controls. Software features that support Auto Vehicle Start, Shutdown Inhibit, Fast Idle and Snow Plow.	ate
Exterior Temperature Display located in radio display	
Brake lining wear indicator	
Window, power front, drivers express up/down	
Window, power front, passenger express down	
Door locks, power	
Remote Keyless Entry, with 2 transmitters	
Cruise control, electronic with set and resume speed, steering wheel-mounted	
Power outlet, front auxiliary, 12-volt	
USB Ports, 2, Charge/Data ports located on instrument panel	
Air conditioning, single-zone	
Mirror, inside rearview, manual tilt	
Assist handles front A-pillar mounted for driver and passenger	
Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)	
Back-up alarm calibration. This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting (Not available with (8S3) Back-up alarm.)	ng
Safety-Mechanical	
StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic to sway control and hill start assist	trailer
Automatic Emergency Braking	
Front Pedestrian Braking	
Safety-Exterior	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.

Safety-Interior	
	Airbags Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Following Distance Indicator
	Forward Collision Alert
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use
	OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
	OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and

#### **WARRANTY**

Warranty Note: <<< Preliminary 2025 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

functionality vary by device and software version. See onstar.com for details and limitations.)

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24569. Data Updated: Jan 27, 2025 6:43:00 PM PST.



# Page 1 of 5

**EQUIPMENT QUOTE** 

32732432238

Rev#

Quote #

Phone: (952) 938-5451 / Fax: (952) 938-0159 / www.abmequip.com

Quote Date: 2025-04-14

Customer Cannonfallsmn Customer Representative

918 River Road First Name: Jed

Last Name: Petersen

Cannon Falls

MN

Last Name: Petersen

Cell Number: +15072639344

ABM Representative Email Address: pwdirector@cannonfallsmn.gov

Adam Grant Contact Initials:

#### Mr. Petersen,

In response to your request for a service truck package, we are pleased to present you with the following pricing for the purchase and installation of (1) BrandFX 60DLS Fiberglass Service Body and (1) Liftmoore 2700AR-14 Crane onto your '25 Chevy 3500 Reg Cab 4x4 60" CA Chassis:

QT Y	Unit
1	Liftmoore 2700AR-14 Crane  2700AR-14 LTB, 8,100 ft lb. moment rating. 12 VDC planetary gear winch. 62 ft of 1/4" galvanized aircraft cable. Pendant control is 3 ft longer than the extended boom. 25 ft of battery power cable, 3 ft battery ground wire, circuit breaker and master cutoff switch included. Max capacity 2700 lbs at 3 ft. Unlimited power rotation is standard. Efficient 2.7 HP planetary gear winch. Power up/down boom with counterbalance valve. Anti two-block is standard. Emergency stop on pendant control is standard. Boom cylinder elevated by electric-hydraulic pump. Boom length is 6 ft to 14 ft in two stages, manually extended.
1	Mega FM wireless radio system  Mega FM wireless radio system added to a new crane at time of order includes standard control pendant. (LA, 2010, 206REL, 206RELS, 2700, 3612, 4000, 5000 and 6036 series cranes).  Body



# Page 2 of 5 EQUIPMENT QUOTE

Quote Date: 2025-04-14 Quote # 32732432238 Rev #

#### 1 BFXB 60DLS STANDARD SERVICE BODY

OVERALL LENGTH = 108"

OVERALL WIDTH - 94.00"

STREETSIDE COMPARTMENTS = 37 / 40 / 31"

CURBSIDE COMPARTMENTS = 37 / 40 / 31"

PACK DEPTH - 20.00"

PACK HEIGHT - 42.00"

FLOOR WIDTH - 54.00"

MOUNTING HEIGHT - 25.00"

STEEL UNDERSTRUCTURE - ALUM TREAD FLOOR

SMOOTH ALUMINUM BULKHEAD

ALUMINUM TAILSKIRT

NON-STANDARD GELCOAT (NON-METALLIC ONLY)

\*\*PROVIDE DUPONT COLOR CODE AT TIME OF ORDER\*\*

D-RING 3 POINT STAINLESS STEEL LATCH

TYPE 304 STAINLESS STEEL HARDWARE

TYPE 304 STAINLESS STEEL DOOR HINGE

VINYL COVERED S/S CABLE DOOR STOPS

NON-SKID COMPARTMENT TOPS

SPRING MOUNT KIT

ALUMINUM ROCK GUARDS (DRW)

BLACK PLASTIC FUEL BEZEL (1 STANDARD)

AUTOMOTIVE GRADE BUBBLE GASKET

ONE PIECE MOLDED DOORS WITH AUTOMOTIVE FINISH BOTH SIDES

RECESSED DOOR JAMBS

FLOW THROUGH VENTILATION SYSTEM

REMOVEABLE WHEEL WELL PANELS

WHITE COMPARTMENT INTERIORS

RECESSED DOOR SEAL SYSTEM

LIGHT ADAPTOR FOR SPECIFIED CHASSIS

FULL LED LIGHTING PACKAGE: STOP / TAIL / TURN / MARKER & BACK-UP LIGHT

10" ALUMINUM TAILGATE - AUTOMOTIVE STYLE (DRW)

STREETSIDE FRONT COMPT (60DLS)

|-- 2 ADJUSTABLE SHELVES

|-- DIVIDER PACK - 2" FIBERGLASS - 4 PER PACK

STREETSIDE HORIZONTAL COMPT (60DLS)

|-- ONE ADJUSTABLE SHELF

|-- DIVIDER PACK - 2" FIBERGLASS - 4 PER PACK

STREETSIDE REAR COMPT (60DLS)

|-- FIXED SHELF MTD ABOVE HOOKS



# Page 3 of 5 EQUIPMENT QUOTE

Quote Date: 2025-04-14 Quote # 32732432238 Rev

|-- DIVIDER PACK - 2" FIBERGLASS - 4 PER PACK

|-- STD 3/8" HOOK PACKAGES 1-3-1

CURBSIDE FRONT COMPT (60DLS)

|-- 2 ADJUSTABLE SHELVES

|-- DIVIDER PACK - 2" FIBERGLASS - 4 PER PACK

CURBSIDE HORIZONTAL COMPT (60DLS)

- |-- ONE ADJUSTABLE SHELF MTD IN FRONT SECTION
- |-- COMPARTMENT BOTTOM TRAY MTD IN FRONT SECTION
- |-- DIVIDER PACK 2" FIBERGLASS 4 PER PACK
- |-- COMPARTMENT DIVIDER
- |-- 6 DRAWER CABINET (VERTICAL) MTD IN BACK SECTION

CURBSIDE REAR COMPT (60DLS)

|-- CRANE REINFORCEMENT-10,000 FT LBS

FLEXGLO LIGHTING TOP & SIDES OF DOOR EACH COMPARTMENT

GALVANIZED SURE STEP BUMPER W/ PINTLE RECESS (DRW) LOADWALL LINER, ALUMINUM, CURBSIDE & STREETSIDE

PRE-PUNCHED ALUMINUM BASKET 105"L x 20"W x 8"H MTD STREETSIDE

COMPT TOP, ALUM TREADPLATE CURBSIDE ONLY

STAINLESS STEEL GRAB HANDLE MOUNTED STREETSIDE REAR

CABLE STIRRUP STEP STREETSIDE REAR BUMPER

FLOOR TIE DOWN (RECESSED) 4, ONE PER CORNER

PIPE VISE TABLE CURBSIDE REAR BUMPER

#### Installs

- 1 ICC bumper with 2" receiver
  - Two (2) safety chain rings and a breakaway ring.
- 1 | Manual Up/Down Outriggers
- 1 NorthStar ATV Boomless Broadcast and Spot Sprayer, 16-Gal., 2.2 GPM, 12V
- 1 | Mount or re-locate OEM backup camera



## Page 4 of 5

Quote Date: 2025-04-14

## **EQUIPMENT QUOTE**

32732432238

Rev#

Quote #

ECCO ED3703A SERIES ADD \$400.00 4 2 Front Grill 2 Rear of truck 6" strobe light ECCO 7160A ADD \$250.00 1 2" pintle/ball hitch with adjustable hitch plate. ADD \$150.00 1 7 way RV trailer plug ADD \$75.00 1 1 Installation/Labor Chassis 1 **Customer Supplied Chassis** Along with the purchase order the customer will be required to include a copy of the chassis specification intended for use and the contact information of the supplying chassis dealer. If the chassis specification does not meet minimum requirements for the application additional costs may be incurred to meet those requirements. \* ABM requires a weight study analysis and frame layouts to ensure chassis loading, stability, and install component placement. \* Chassis delivered to the installation facilities that do not meet minimum specification requirements will be noted at time of delivery and a suggested resolution will be provided back to the customer. \* Reference ABM Customer Furnished Chassis Delivery Policy for additional instructions. 1 Freight

Total (FOB Hopkins, taxes and fees not included) \$49,348.00



# Page 5 of 5 EQUIPMENT QUOTE

Quote Date: 2025-04-14 Quote # 32732432238 Rev #

Terms & Conditions

Estimated Completion Date: Subject to availability, based on information at the time of quote.

Validity of Quote: 30 Days - please contact ABM Equipment for an updated proposal after expiration.

Payment: Payment terms are Net 10 days. Any amount paid by a credit card will be subject to a surcharge fee.

A monthly interest charge of 1/2% will be added for late payments.

Taxes: This quote does not include applicable local, state, or (F.E.T.) federal taxes. The quote does not include title or licensing fees.

**Delivery:** Unless noted on this quotation, equipment is sold F.O.B. point of shipment, and ABM Equipment, LLC's responsibility shall cease upon delivering the equipment in good order to the carrier. ABM Equipment, LLC shall not be responsible for delays in delivery due to reasons beyond its control, including labor disputes and supply chain issues.

**Warranty:** Warranty coverage shall be based on the manufacturer's warranty terms. Warranty work is to be performed at ABM Equipment, LLC. The warranty does not include travel charges.

Cancellation: It is understood that any order on this quotation and accepted by the seller shall be firm in as much as ABM Equipment, LLC, in turn, must place firm orders for the equipment and the parts thereof. No cancellations may be made except on terms agreed to by ABM Equipment, LLC in writing.

**Liability:** ABM Equipment, LLC assumes no liability for damage due to theft, vandalism, fire, weather, or damage due to gradual deterioration or inherent defects in such property. In addition, we are not responsible for any damage while storing your chassis or parts on our premises while waiting for modification or installation. The storage location of the property shall be determined by ABM Equipment, LLC, at its discretion.

**Entire Agreement:** This quotation sets forth the full terms and conditions applicable to the equipment described herein and may not be modified without ABM Equipment, LLC written consent. The terms and conditions of this quotation shall prevail over those of any other writing concerning this equipment in case of any inconsistency between them.

Confidentiality: The information in this quote; and all supporting documentation is confidential and may only be used by ABM Equipment, LLC, and the customer listed on this quote

Chassis: You agree to accept the following when purchasing a new chassis through ABM Equipment.

- 1. ABM provided chassis Pay for the chassis in full as soon as it is available to ABM Equipment for the mounting of the quoted components.
- Customer supplied chassis If the chassis is late or cancelled customer must pay for ABM ordered equipment, parts and components. Labor for the installation will be billed upon completion of the unit.
- 3. Chassis pricing should be considered a budgetary only and is subject to change when specific model year pricing becomes available from the OEM. Additionally, the chassis model year is subject to change based on availability at the time of the order.

\*Due to extended lead times and market volatility, we reserve the right to impose a surcharge on the quoted price. We are experiencing surcharges from our suppliers, and passing these on to our customers has become necessary. ABM Equipment will inform you about these surcharges before you begin the build for your order. If ABM Equipment cannot proceed with the build at the scheduled time because of the unavailability of the chassis, ABM Equipment will invoice the customer for the cost of the equipment on hand, and payment will be due according to our standard terms.

Please sign below indicating your intent to purchase the above equipment at the price and terms quoted; or with modifications as stated below. The changes of materials to be supplied, terms of sale, or pricing are contingent upon acceptance by ABM Equipment, LLC.

Customer:	PO Number
I agree to the terms and	
conditions above:	
	Sales Rep Initials
Approved By:	
ABM Officer	



2010 Chevrolet Silverado 3500HD

Category: Vehicles

Lot #5339

Sold Price:

\$21,500.00

O Closed on: Jan 16th, 10:27 am

LOGIN TO BID

Please login to bid in Online Auction

If you don't have a bidder account yet, please click here to complete your registration and receive your password.

Condition: Good

VIN: 1GC3KZBG6AF128036

Mileage: 52,323

Year: 2010

Manufacturer: Chevrolet

Model: Silverado

# Description

Questions and Answers

2010 Chevrolet Silverado 3500HD Work Truck

VIN: 1GC3KZBG6AF128036 Style / Body: Regular Cab 2D Engine: 6.0L V8 SPFI Gasoline

4x4 works; runs and drives; crane works; inverter works.

Small rust in service body corner(s), paint flaking on bottom of door, front bumper chrome peeling; paint damaged on doors from removing decals, Service TPMS light on, tires need replacing, plow does not work but is complete; other issues may exist but are not noted.

Always stored in heated workshop. Cleaned and maintained regularly with service records.